ELSEVIER

European Journal of Pharmacology 287 (1995) 317–319

ejp

Author index

Abiko, Y., see Kamigaki, M. (287) 121
Albin, R.L., see Feeley Kearney, J.A. (287) 115
Antunes, E., see Moreno, Jr., H. (287) 93
Apaydin, S., see Van der Graaf, P.H. (287) 309
Arletti, R., see Poggioli, R. (287) 207
Arrigoni-Martelli, E., see Maresca, P. (287) 303
Auguet, M., Delaflotte, S. and Chabrier, P.-E.
Different α_1-adrenoceptor subtypes mediate contraction in rabbit aorta and urethra (287) 153

Barg, J., Fride, E., Hanus, L., Levy, R., Matus-Leibovitch, N., Heldman, E., Bayewitch, M., Mechoulam, R. and Vogel, Z.
Cannabinomimetic behavioral effects of and adenylate cyclase inhibition by two new endogenous anandamides (287) 145
Bayewitch, M., see Barg, J. (287) 145
Beattie, D.T., see Walsh, D.M. (287) 79
Benelli, A., see Poggioli, R. (287) 207
Bertolini, A., see Poggioli, R. (287) 207
Betto, P., see Popoli, P. (287) 215
Brady, G., see Docherty, J.R. (287) 287
Brinkmann, S., see Dimmeler, S. (287) 257
Brodsky, M., see Chan, K. (287) 135
Buchheit, K.-H., Hofmann, A. and Fozard, J.R.
Salbutamol-induced airway hyperreactivity in guinea pigs is not due to a loss of its bronchodilator effect (287) 85

Casini, G., see Tricarico, D. (287) 17
Cavazzuti, E., see Poggioli, R. (287) 207
Celuch, S.M.
Possible participation of histamine H_3 receptors in the modulation of noradrenaline release from rat spinal cord slices (287) 127
Chabrier, P.-E., see Auguet, M. (287) 153
Chan, K., Brodsky, M., Davis, T., Franklin, S., Inturrisi, C.E. and Yoburn, B.C.
The effect of the irreversible μ-opioid receptor antagonist clocinnamox on morphine potency, receptor binding and receptor mRNA (287) 135
Chen, C. and Lokhandwala, M.F.
Identification of α_1-adrenoceptor subtypes involved in the antinatriuretic response to intrarenal infusion of phenylephrine (287) 1
Connor, H.E., see Walsh, D.M. (287) 79
Conte Camerino, D., see Tricarico, D. (287) 17
Corsico, N., see Maresca, P. (287) 303
Crucianelli, M., see Giardinà, D. (287) 13

Davies, D.J., see Sugden, D. (287) 239
Davies, J.A., see Hu, R.Q. (287) 251
Davis, T., see Chan, K. (287) 135
De Groat, W.C., see Yoshiyama, M. (287) 73
Delaflotte, S., see Auguet, M. (287) 153
De Neef, P., see Gourlet, P. (287) 7
De Nucci, G., see Moreno, Jr., H. (287) 93
De Vries, R., see Van Leeuwen, R. (287) 211
De Witt, B.J., see Kaye, A.D. (287) 163

Dimmeler, S., Brinkmann, S. and Neugebauer, E.
Endotoxin-induced changes of endothelial cell viability and permeability: protective effect of a 21-aminosteroid (287) 257
Docherty, J.R. and Brady, G.
Prejunctional actions of K^+ channel blockers in rat vas deferens (287) 287
Doolette, D.J., see Kerr, D.I.B. (287) 185
Downie, J.W., see Espey, M.J. (287) 173
Dzoljic, M.R., see Van Leeuwen, R. (287) 211

Espey, M.J. and Downie, J.W.
Serotonergic modulation of cat bladder function before and after spinal transection (287) 173

Falcone, J., see Grider, J. (287) 101
Feeley Kearney, J.A. and Albin, R.L.
Adenosine A_2 receptor-mediated modulation of contralateral rotation induced by metabotropic glutamate receptor activation (287) 115
Fozard, J.R., see Buchheit, K.-H. (287) 85
Franklin, S., see Chan, K. (287) 135
Fride, E., see Barg, J. (287) 145

Garratt, P.J., see Sugden, D. (287) 239
Giardinà, D., Crucianelli, M., Melchiorre, C., Taddei, C. and Testa, R.
Receptor binding profile of cyclazosin, a new α_{1B}-adrenoceptor antagonist (287) 13
Gourlet, P., Vandermeers, A., Vandermeers-Piret, M.-C., Rathé, J., De Neef, P. and Robberecht, P.
Fragments of pituitary adenylate cyclase activating polypeptide discriminate between type I and II recombinant receptors (287) 7
Grider, J., Falcone, J., Kilpatrick, E., Ott, C. and Jackson, B.
Effect of bradykinin on NaCl transport in the medullary thick ascending limb of the rat (287) 101

Hagan, J.J., see Rompré, P.-P. (287) 263
Halaka, N.N., see Lodge, N.J. (287) 279
Hanus, L., see Barg, J. (287) 145
Hartmann, M., Stumpe, T. and Schrader, J.
α_1-Adrenoceptor stimulation inhibits the isoproterenol-induced effects on myocardial contractility and protein phosphorylation (287) 57
Heldman, E., see Barg, J. (287) 145
Higgins, G.A., see Varty, G.B. (287) 201
Hoffman, P.L., see Szabó, G. (287) 35
Hofmann, A., see Buchheit, K.-H. (287) 85
Horiuchi, H., Uejima, Y., Sakuma, Y., Kadota, T., Okada, N., Taniguchi, K., Takenouchi, K., Yamanaka, Y., Uno, H. and Komoriya, K.
Beneficial effects of a novel anti-hypoxemic agent, TEI-7322, on bleomycin-induced experimental hypoxemia in rats (287) 27
Hu, R.Q. and Davies, J.A.
The effect of the desglycinyl metabolite of remacemide on cortical wedges prepared from DBA/2 mice (287) 251

Hüsken, B.C.P., Vroom, M.B., Timmenga, E.-J.F., Pfaffendorf, M. and Van Zwieten, P.A.
Relaxant effect of levcromakalim in isolated human small subcutaneous arteries (287) 313

Ibrahim, I.N., see Kaye, A.D. (287) 163
Ichihara, K., see Kamigaki, M. (287) 121
Ichikawa, J., Kuroki, T., Kitchen, M.T. and Meltzer, H.Y.
R(+)-8-OH-DPAT, a 5-HT_{1A} receptor agonist, inhibits amphetamine-induced dopamine release in rat striatum and nucleus accumbens (287) 179
Injoyan, R., see Rompré, P.-P. (287) 263
Inturrisi, C.E., see Chan, K. (287) 135
Ishii, K., see Nakahara, T. (287) 49

Jackson, B., see Grider, J. (287) 101
Jacobson, K.A., see Von Lubitz, D.K.J.E. (287) 295
Jolles, J., see Terwel, D. (287) 65
Jones, R., see Sugden, D. (287) 239

Kadota, T., see Horiuchi, H. (287) 27
Kadowitz, P.J., see Kaye, A.D. (287) 163
Kameyama, T., see Ukai, M. (287) 245
Kamigaki, M., Ichihara, K., Kohgo, Y. and Abiko, Y.
Effect of glibenclamide on ischemic canine myocardium with glucose infusion (287) 121
Kampine, J.P., see Tseng, L.F. (287) 169
Kaye, A.D., Nossaman, B.D., Kivlighn, S., Ibrahim, I.N., De Witt, B.J. and Kadowitz, P.J.
Responses to L-163,491, a nonpeptide angiotensin II mimic, in the pulmonary vascular bed of the cat (287) 163
Kerr, D.I.B., Ong, J., Doolette, D.J., Schafer, K. and Prager, R.H.
The (*S*)-enantiomer of 2-hydroxysaclofen is the active $GABA_B$ receptor antagonist in central and peripheral preparations (287) 185
Kerr, D.I.B., see Ong, J. (287) 197
Kiem, D.T., see Makara, G.B. (287) 43
Kilpatrick, E., see Grider, J. (287) 101
Kilpatrick, I.C., see Main, D.C.J. (287) 221
Kimura, R., see Nozawa, Y. (287) 191
Kitchen, M.T., see Ichikawa, J. (287) 179
Kivlighn, S., see Kaye, A.D. (287) 163
Kobayashi, T., see Ukai, M. (287) 245
Kohgo, Y., see Kamigaki, M. (287) 121
Komoriya, K., see Horiuchi, H. (287) 27
Konno, K., see Tamaoki, J. (287) 233
Kuroki, T., see Ichikawa, J. (287) 179

Lemaire, S., see Maurice, T. (287) 219
Levy, R., see Barg, J. (287) 145
Lin, R.C.S., see Von Lubitz, D.K.J.E. (287) 295
Lodge, N.J., Zhang, R., Halaka, N.N. and Moreland, S.
Functional role of endothelin ET_A and ET_B receptors in venous and arterial smooth muscle (287) 279
Lokhandwala, M.F., see Chen, C. (287) 1

Main, D.C.J., Waterman, A.E. and Kilpatrick, I.C.
Behavioural analysis of changes in nociceptive thresholds produced by remoxipride in sheep and rats (287) 221
Makara, G.B., Kiem, D.T. and Vizi, E.S.
Hypothalamic α_{2A}-adrenoceptors stimulate growth hormone release in the rat (287) 43
Mancinelli, R., see Maresca, P. (287) 303
Manni, E., see Maresca, P. (287) 303
Maresca, P., Mancinelli, R., Corsico, N., Arrigoni-Martelli, E. and Manni, E.
Positive action of propionyl-L-carnitine on mechanical performance of papillary muscle from Syrian hamsters with hereditary dilated cardiomyopathy (287) 303
Marona-Lewicka, D., Rhee, G.-S., Sprague, J.E. and Nichols, D.E.
Psychostimulant-like effects of *p*-fluoroamphetamine in the rat (287) 105
Matus-Leibovitch, N., see Barg, J. (287) 145
Maurice, T., Privat, A. and Lemaire, S.
Corrigendum to 'The pentadecapeptide [Ser^1]histogranin impairs passive avoidance learning in mice' [Eur. J. Pharmacol. 283 (1995) 251–254] (287) 219
McCullough, L.A. and Westfall, T.C.
Neuropeptide Y inhibits depolarization-stimulated catecholamine synthesis in rat pheochromocytoma cells (287) 271
Mechoulam, R., see Barg, J. (287) 145
Melchiorre, C., see Giardinà, D. (287) 13
Meltzer, H.Y., see Ichikawa, J. (287) 179
Meng, F., see Terwel, D. (287) 65
Merriam, L.A., see Mulvaney, J.M. (287) 97
Metze, K., see Moreno, Jr., H. (287) 93
Miyake, H., see Nozawa, Y. (287) 191
Moreland, S., see Lodge, N.J. (287) 279
Moreno, Jr., H., Piovesan Nathan, L., Pereira Costa, S.K., Metze, K., Antunes, E., Zatz, R. and De Nucci, G.
Enalapril does not prevent the myocardial ischemia caused by the chronic inhibition of nitric oxide synthesis (287) 93
Mori, K., see Ukai, M. (287) 245
Mulvaney, J.M., Merriam, L.A. and Parsons, R.L.
Galantide distinguishes putative subtypes of galanin receptors in mudpuppy parasympathetic neurons (287) 97

Nakahara, T., Ishii, K., Tanaka, Y. and Nakayama, K.
Involvement of neurohumoral factors in the pressor mechanism of N^G-nitro-L-arginine (287) 49
Nakayama, K., see Nakahara, T. (287) 49
Narita, M., see Tseng, L.F. (287) 169
Nawrath, H., see Wegener, J.W. (287) 89
Neugebauer, E., see Dimmeler, S. (287) 257
Nichols, D.E., see Marona-Lewicka, D. (287) 105
Nossaman, B.D., see Kaye, A.D. (287) 163
Nozawa, Y., Miyake, H., Yamada, S., Uchida, S., Ohkura, T. and Kimura, R.
Receptor occupation and pharmacokinetics of MPC-1304, a new Ca^{2+} channel antagonist, in spontaneously hypertensive rats (287) 191

Ohkura, T., see Nozawa, Y. (287) 191
Okada, N., see Horiuchi, H. (287) 27
Ong, J., see Kerr, D.I.B. (287) 185
Ong, J. and Kerr, D.I.B.
Interactions of *N*-ethylmaleimide and aluminium fluoride with $GABA_B$ receptor function in rat neocortical slices (287) 197
Ott, C., see Grider, J. (287) 101

Parsons, R.L., see Mulvaney, J.M. (287) 97
Pereira Costa, S.K., see Moreno, Jr., H. (287) 93
Pfaffendorf, M., see Hüsken, B.C.P. (287) 313
Piovesan Nathan, L., see Moreno, Jr., H. (287) 93
Poggioli, R., Benelli, A., Arletti, R., Cavazzuti, E. and Bertolini, A.
K^+ channel openers delay intestinal transit and have antidiarrheal activity (287) 207
Popoli, P., Betto, P., Reggio, R. and Ricciarello, G.
Adenosine A_{2A} receptor stimulation enhances striatal extracellular glutamate levels in rats (287) 215
Prager, R.H., see Kerr, D.I.B. (287) 185
Prickaerts, J., see Terwel, D. (287) 65
Privat, A., see Maurice, T. (287) 219

Rathé, J., see Gourlet, P. (287) 7
Reggio, R., see Popoli, P. (287) 215
Rhee, G.-S., see Marona-Lewicka, D. (287) 105
Ricciarello, G., see Popoli, P. (287) 215
Robberecht, P., see Gourlet, P. (287) 7
Rompré, P.-P., Injoyan, R. and Hagan, J.J.
Effects of granisetron, a 5-HT_3 receptor antagonist, on morphine-induced potentiation of brain stimulation reward (287) 263
Roppolo, J.R., see Yoshiyama, M. (287) 73

Sakuma, Y., see Horiuchi, H. (287) 27
Sasaki, Y., see Ukai, M. (287) 245
Saxena, P.R., see Van der Graaf, P.H. (287) 309
Schafer, K., see Kerr, D.I.B. (287) 185
Schrader, J., see Hartmann, M. (287) 57
Shinkai, N., see Ukai, M. (287) 245
Sprague, J.E., see Marona-Lewicka, D. (287) 105
Stumpe, T., see Hartmann, M. (287) 57
Sugden, D., Davies, D.J., Garratt, P.J., Jones, R. and Vonhoff, S.
Radioligand binding affinity and biological activity of the enantiomers of a chiral melatonin analogue (287) 239
Szabó, G. and Hoffman, P.L.
Brain-derived neurotrophic factor, neurotrophin-3 and neurotrophin-4/5 maintain functional tolerance to ethanol (287) 35

Taddei, C., see Giardinà, D. (287) 13
Tagaya, E., see Tamaoki, J. (287) 233
Takenouchi, K., see Horiuchi, H. (287) 27
Tamaoki, J., Tagaya, E., Yamawaki, I. and Konno, K.
Lipoxin A_4 inhibits cholinergic neurotransmission through nitric oxide generation in the rabbit trachea (287) 233
Tanaka, Y., see Nakahara, T. (287) 49
Taniguchi, K., see Horiuchi, H. (287) 27
Terwel, D., Prickaerts, J., Meng, F. and Jolles, J.
Brain enzyme activities after intracerebroventricular injection of streptozotocin in rats receiving acetyl-L-carnitine (287) 65
Testa, R., see Giardinà, D. (287) 13
Timmenga, E.-J.F., see Hüsken, B.C.P. (287) 313
Tricarico, D., Casini, G. and Conte Camerino, D.
Effects of high energy phosphates and L-arginine on the electrical parameters of ischemic-reperfused rat skeletal muscle fibers (287) 17
Tseng, L.F., Narita, M. and Kampine, J.P.
Pretreatment with β-endorphin facilitates the attenuation of δ-opioid receptor-mediated antinociception caused by δ-opioid receptor antisense oligodeoxynucleotide (287) 169

Uchida, S., see Nozawa, Y. (287) 191
Uejima, Y., see Horiuchi, H. (287) 27
Ukai, M., Kobayashi, T., Mori, K., Shinkai, N., Sasaki, Y. and Kameyama, T.
Attenuation of memory with Tyr-D-Arg-Phe-β-Ala-NH_2, a novel dermorphin analog with high affinity for μ-opioid receptors (287) 245
Uno, H., see Horiuchi, H. (287) 27

Van der Graaf, P.H., Apaydin, S. and Saxena, P.R.
The α_1-adrenoceptor agonist, SDZ NVI-085, behaves as a potent, competitive antagonist of 5-hydroxytryptamine-induced contraction of rat aorta (287) 309
Vandermeers, A., see Gourlet, P. (287) 7
Vandermeers-Piret, M.-C., see Gourlet, P. (287) 7
Van Leeuwen, R., De Vries, R. and Dzoljic, M.R.
7-Nitro indazole, an inhibitor of neuronal nitric oxide synthase, attenuates pilocarpine-induced seizures (287) 211
Van Zwieten, P.A., see Hüsken, B.C.P. (287) 313
Varty, G.B. and Higgins, G.A.
Reversal of a dizocilpine-induced disruption of prepulse inhibition of an acoustic startle response by the 5-HT_2 receptor antagonist ketanserin (287) 201
Vizi, E.S., see Makara, G.B. (287) 43
Vogel, Z., see Barg, J. (287) 145
Vonhoff, S., see Sugden, D. (287) 239
Von Lubitz, D.K.J.E., Lin, R.C.S. and Jacobson, K.A.
Cerebral ischemia in gerbils: effects of acute and chronic treatment with adenosine A_{2A} receptor agonist and antagonist (287) 295
Vroom, M.B., see Hüsken, B.C.P. (287) 313

Walsh, D.M., Beattie, D.T. and Connor, H.E.
The activity of 5-HT_{1D} receptor ligands at cloned human 5-$HT_{1D\alpha}$ and 5-$HT_{1D\beta}$ receptors (287) 79
Waterman, A.E., see Main, D.C.J. (287) 221
Wegener, J.W. and Nawrath, H.
Alkalinisation does not modify the effect of verapamil on myocardial Ca^{2+} current (287) 89
Westfall, T.C., see McCullough, L.A. (287) 271

Yamada, S., see Nozawa, Y. (287) 191
Yamanaka, Y., see Horiuchi, H. (287) 27
Yamawaki, I., see Tamaoki, J. (287) 233
Yoburn, B.C., see Chan, K. (287) 135
Yoshiyama, M., Roppolo, J.R. and De Groat, W.C.
Interactions between NMDA and AMPA/kainate receptors in the control of micturition in the rat (287) 73

Zatz, R., see Moreno, Jr., H. (287) 93
Zhang, R., see Lodge, N.J. (287) 279